

| L | Hits | Search Text | DB | Time stamp |
|--------|------|---|--|----------------------|
| Number | | | | |
| - | 27 | tagg\$4 near10 message\$1 near10 (first or last) | USPAT; EPO; JPO; DERWENT; | 2002/10/29 |
| - | 22 | flag near10 first near10 message\$1 near10 identif\$6 | IBM_TDB USPAT; EPO; JPO; DERWENT; | 2002/10/29 11:49 |
| - | 8 | (transaction near5 (identifier\$1 or ID\$1) near10 message\$1) near10 tag\$4 | IBM_TDB USPAT; EPO; JPO; DERWENT; | 2002/10/29 13:44 |
| _ | 1 | 6453158.pn. | IBM_TDB USPAT; EPO; JPO; DERWENT; | 2002/10/29 13:24 |
| - | 1 | "5572579".PN. | IBM_TDB USPAT | 2002/10/29 |
| _ | 0 | transmission near5 protocol near10 tag\$5 near10 first near10 last near10 messag\$5 | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29° 13:43 |
| _ | 0 | (transmission near5 protocol) near10 tagg\$5 near10 (first or last or begin or end) near10 messag\$5 | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 13:44 |
| - | 9697 | (tag\$1 or flag\$1) near10 (message\$1 or packet\$1) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 13:58 |
| - | 2417 | (tag\$1 or flag\$1) near10 (message\$1 or packet\$1) near10 (first or last or begin\$4 or end\$3) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:01 |
| - | 242 | (tag\$1 or flag\$1) near10 (message\$1 or packet\$1) near10 (first or last or begin\$4 or end\$3) near10 transmission | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:30 |
| _ | , 0 | transaction\$3 near5 boundar\$4 near10 (flag\$1 or tag\$1) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:31 |
| _ | 6 | transaction\$3 near10 boundar\$4 near10 (flag\$1 or tag\$1) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:31 |
| - | 1669 | transmission near5 boundar\$4 | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:48 |
| _ | 406 | first near3 message near3 (flag or tag or identifier) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 14:57 |
| _ | 73 | ."5430719" | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/29 15:02 |
| _ | 2 | 5430719.pn. | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/30 10:06 |
| - | 38 | SS7 near10 (start\$4 or end\$4 or first or begin\$5 or terminat\$4) near10 (flag\$1 or bit\$1 or tag\$1) | USPAT; EPO; JPO; DERWENT; IBM TDB | 2002/10/30 10:16 |

| - | 4960 | | USPAT; | 2002/10/30 |
|---|-------|---|-----------------------|------------|
| | | terminat\$4) near10 (flag\$1) and boundar\$4 | EPO; JPO; | 10:19 |
| | | | DERWENT; IBM TDB | |
| _ | 501 | (start\$4 or end\$4 or first or begin\$5 or | USPAT; | 2002/10/30 |
| | | terminat\$4) near10 (flag\$1) same | EPO; JPO; | 10:20 |
| | | boundar\$4 | DERWENT; | |
| | _ | | IBM_TDB | |
| - | 7 | | USPAT; | 2002/10/30 |
| | | terminat\$4) near10 (flag\$1) same ((transmit\$3 or transmission) near3 | EPO; JPO; DERWENT; | 10:25 |
| | | boundar\$4) | IBM TDB | |
| _ | 2 | · · | USPAT; | 2002/10/30 |
| i | _ | terminat\$4) near10 (flag\$1) same | EPO; JPO; | 10:27 |
| | | ((transact\$4 or transmission) near3 | DERWENT; | |
| | | boundar\$4) | IBM_TDB | |
| - | 205 | (first near5 message\$1 near5 (flag or bit | USPAT; | 2002/10/30 |
| | | or identifier)) and (last near5 message\$1 near5 (flag or bit or identifier)) | EPO; JPO; DERWENT; | 10:32 |
| | | nears (riag or bit or identifier) | IBM TDB | · |
| - | 39 | ((first near5 message\$1 near5 (flag or | USPAT; | 2002/10/30 |
| | | bit or identifier)) and (last near5 | EPO; JPO; | 13:23 |
| | | message\$1 near5 (flag or bit or | DERWENT; | |
| | | identifier))) and 709/\$.ccls. and | IBM_TDB | |
| _ | 47160 | @ad<20000208 software near3 hardware | USPAT; | 2002/10/30 |
| | 4,100 | DOLUMIC HOULD HALAWAIG | EPO; JPO; | 11:45 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 39 | | USPAT; | 2002/10/30 |
| | | bit or identifier)) and (last near5 | EPO; JPO; DERWENT; | 13:23 |
| | | message\$1 near5 (flag or bit or identifier))) and 709/\$.ccls. | IBM TDB | |
| _ | 28 | | USPAT; | 2002/10/30 |
| | | bit or identifier)) and (last near5 | EPO; JPO; | 13:25 |
| | | message\$1 near5 (flag or bit or | DERWENT; | |
| | | identifier))) and 709/\$.ccxr. | IBM_TDB USPAT; | 2002/10/30 |
| - | 0 | error near10 another near10 message\$1 near10 (first or start\$3) | EPO; JPO; | 13:26 |
| | | Nearly (11130 Of Starteys) | DERWENT; | 13.20 |
| | | | IBM TDB | |
| - | 1516 | | USPAT; | 2002/10/30 |
| | | start\$3) | EPO; JPO; | 14:33 |
| | | | DERWENT; | |
| _ | 4 | 709/236.ccls. and (first near3 message\$1 | USPAT; | 2002/10/30 |
| | 1 | near3 (flag or tag or identifier)) | EPO; JPO; | 13:48 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 25 | | USPAT; | 2002/10/30 |
| | | near3 (flag or tag or identifier)) | EPO; JPO; DERWENT; | 13:56 |
| | | | IBM TDB | |
| _ | 1 | transaction near5 counter near5 | USPAT; | 2002/10/30 |
| | | identifier near10 message\$1 | EPO; JPO; | 13:59 |
| | | | DERWENT; | |
| | _ | trangagtional norm10 maggagati magmic | IBM_TDB USPAT; | 2002/10/30 |
| - | | transactional near10 message\$1 near10 system near10 boundar\$4 | EPO; JPO; | 14:00 |
| | | SISSEM MEALIO SOMMALYI | DERWENT; | |
| | | | IBM_TDB | |
| - | 33 | transactional near10 message\$1 near10 | USPAT; | 2002/10/30 |
| | | system | EPO; JPO; | 14:27 |
| | | | DERWENT; IBM TDB | |
| _ | 10 | error near10 message\$1 near10 (first or | USPAT; | 2002/10/30 |
| | | start\$3) near10 transaction\$1 | EPO; JPO; | 14:43 |
| | | | DERWENT; | |
| | | | IBM_TDB | |

| - | 42341 | (frame\$1 or message\$1) near10 sequence | USPAT; EPO; JPO; | 2002/10/30 |
|---|----------|---|------------------------|------------|
| | | | DERWENT; | 11.11 |
| | 1212 | (frame(1) near10 germana near10 errent1 | IBM_TDB | 2002/10/20 |
| - | 1212 | (frame\$1) near10 sequence near10 error\$1 | USPAT; EPO; JPO; | 2002/10/30 |
| | | | DERWENT; | |
| | 65 | (frame(1) manual company manual company) | IBM_TDB USPAT; | 2002/10/20 |
| - | 65 | (frame\$1) near10 sequence near10 error\$1 near10 (message\$1 or transaction) | EPO; JPO; | 2002/10/30 |
| | | | DERWENT; | |
| | 60 | increment\$4 near10 message adj1 number | IBM_TDB USPAT; | 2003/03/11 |
| - | | Increment 74 hearto message adji humber | US-PGPUB; | 14:07 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| - | 17 | | USPAT; | 2003/03/11 |
| | | and(709/\$.ccls. or 370/\$.ccls. | US-PGPUB; | 14:08 |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | 6044081.pn. | USPAT; US-PGPUB; | 2003/03/13 |
| | | , | EPO; JPO; | 12.27 |
| | | | DERWENT; | |
| _ | 5205 | first near5 (frame\$1 or message\$1) near5 | IBM_TDB USPAT; | 2003/03/13 |
| | 3203 | (bit or byte\$1) | US-PGPUB; | 12:28 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| - | 50 | | USPAT; | 2003/03/13 |
| | | (bit or byte\$1) near5 set near5 "1" | US-PGPUB; EPO; JPO; | 13:25 |
| | | | DERWENT; | |
| | | 10 70777 | IBM_TDB | 0000/00/10 |
| - | 2 | translat\$4 near10 CORBA near10 server\$1 | USPAT; US-PGPUB; | 2003/03/13 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| _ | 13 | conver\$5 near10 CORBA near10 server\$1 | USPAT; | 2003/03/13 |
| | | | US-PGPUB; | 13:28 |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | "not" near10 sequential\$3 near10 (tag or | USPĀT; | 2003/05/27 |
| | | tagged or tagging) | US-PGPUB; EPO; JPO; | 14:05 |
| | | | DERWENT; | |
| _ | 0 | "not" near10 sequenc\$3 near10 (tag or | IBM_TDB USPAT; | 2003/05/27 |
| | | tagged or tagging) | US-PGPUB; | 14:06 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| - | 0 | connection near10 communicat\$4 near10 | USPAT; | 2003/05/27 |
| | | protocol near10 (transaction near5 | EPO; JPO; | 14:32 |
| | | identifier) | DERWENT; IBM TDB | |
| - | 410 | transaction near5 (identifier\$1 or ID\$1) | USPĀT; | 2003/05/27 |
| | | near10 message\$1 | EPO; JPO; DERWENT; | 14:33 |
| | | | IBM_TDB | |
| - | 12 | 709/236.ccls. and ("not" or "no") near10 | USPĀT; | 2003/05/27 |
| | | (sequence\$1 or sequential\$4) near10 (number\$1 or ID\$2) | US-PGPUB; EPO; JPO; | 14:38 |
| | | , | DERWENT; | |
| | <u> </u> | | IBM_TDB | <u> </u> |

| - | 5 | (transaction near5 (identifier\$1 or ID\$1) | USPAT; EPO; JPO; | 2003/05/27 |
|---|-------|---|------------------------|---------------------|
| | | near10 message\$1) near10 flag\$4 | DERWENT; | 14:33 |
| _ | 31 | transaction near5 (identifier\$1 or ID\$1) | IBM_TDB USPAT; | 2003/05/27 |
| | | near10 message\$1 near10 (begin\$5 or | EPO; JPO; | 14:33 |
| | | end\$4) | DERWENT; | |
| | | | IBM_TDB | 2222 (25 (27 |
| _ | 11 | SS7 near10 (begin\$5 or terminat\$4) near10 (flag\$1 or bit\$1 or tag\$1) | USPAT; EPO; JPO; | 2003/05/27 14:33 |
| | | (liaggi of bitti of taggi) | DERWENT; | 14.33 |
| | | | IBM TDB | |
| - | 39435 | ("not" or "no") near10 (sequence\$1 or | USPAT; | 2003/05/27 |
| | | sequential\$4) near10 (number\$1 or ID\$2) | US-PGPUB; | 14:37 |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| _ | 199 | 709/\$.ccls. and ("not" or "no") near10 | USPAT; | 2003/05/27 |
| | | (sequence\$1 or sequential\$4) near10 | US-PGPUB; | 15:30 |
| | | (number\$1 or ID\$2) | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| _ | 92 | identifier near10 (first near3 message) | USPAT; | 2003/06/13 |
| | | near10 transmit\$5 | EPO; JPO; | 10:22 |
| | | | DERWENT; | |
| | | | IBM_TDB | 0000 (06 (10 |
| _ | 308 | transaction\$3 near5 boundar\$4 | USPAT; EPO; JPO; | 2003/06/13 |
| | | | DERWENT; | 10.22 |
| | | | IBM TDB | |
| - | 16 | transmission near5 boundar\$4 near10 | USPAT; | 2003/06/13 |
| | | (flag\$4 or tag\$4) | EPO; JPO; | 10:22 |
| | | | DERWENT; IBM TDB | |
| _ | 28 | transmission near10 boundar\$4 near10 | USPAT; | 2003/06/13 |
| | | (flag\$4 or tag\$4) | EPO; JPO; | 10:22 |
| | | | DERWENT; | |
| | 12 | (first near3 message near3 (flag or tag | IBM_TDB USPAT; | 2003/06/13 |
| _ | 12 | or identifier)) and (last near3 message | EPO; JPO; | 10:22 |
| | | near3 (flag or tag or identifier)) | DERWENT; | |
| | | | IBM_TDB | 0000 (06 (10 |
| - | 14 | method near10 tagging near10 message\$1 | USPAT; EPO; JPO; | 2003/06/13 |
| | | | DERWENT; | 10.22 |
| | | | IBM TDB | |
| - | 333 | (tag tagging) near10 message\$1 near10 | USPAT; | 2003/10/03 |
| | | identif\$5 and @ad<20000208 | US-PGPUB; EPO; JPO; | 13:10 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 62 | (tag tagging) near10 message\$1 near10 | USPAT; | 2003/10/03 |
| | | identif\$5 and @ad<20000208 and | US-PGPUB; | 13:27 |
| | | 709/\$.ccls. | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 0 | (tag tagging) near10 message\$1 near10 | USPAT; | 2003/10/03 |
| | | sequen\$5 near10 identif\$5 and | US-PGPUB; | 13:11 |
| | | @ad<20000208 and 709/\$.ccls. | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| _ | 5 | (tag tagging) near10 message\$1 near10 | USPAT; | 2003/10/03 |
| | | identif\$5 and @ad<20000208 and | US-PGPUB; | 13:12 |
| | | 709/230-232.ccls. | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| _ | 1 | (tag tagging) near10 message\$1 near10 | USPĀT; | 2003/10/06 |
| | | identif\$5 and @ad<20000208 and | US-PGPUB; | 08:05 |
| | | 370/474.ccls. | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| L | l., | | | l |

| - | 0 | 126586.an. | USPAT; | 2003/10/06 |
|---|-----|---|-----------|------------|
| | | | US-PGPUB; | 08:25 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| - | 2 | 5806075.pn. | USPAT; | 2003/10/06 |
| | | - | US-PGPUB; | 09:34 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 6 | transaction\$4 near10 boundar\$4 and | USPAT; | 2003/10/06 |
| | | @ad<20000208 and 709/230-237.ccls. | US-PGPUB; | 09:34 |
| | | · | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 415 | transaction\$4 near10 boundar\$4 and | USPAT; | 2003/10/06 |
| | | @ad<20000208 | US-PGPUB; | 09:34 |
| | | | EPO; JPO; | |
| | | | DERWENT; | 1 |
| | | | IBM TDB | 1 |
| - | 68 | transaction\$4 near10 boundar\$4 and | USPĀT; | 2003/10/06 |
| | | @ad<20000208 and 709/\$.ccls. | US-PGPUB; | 09:34 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 207 | (tag\$1 tagging) near10 message\$1 near10 | USPAT; | 2003/10/07 |
| | | (first or last) | EPO; JPO; | 09:09 |
| | | | DERWENT; | |
| | | | IBM_TDB | |